



VHF-UHF-SHF Antenna Galvanic Isolator System for SDR radios

The broadband antenna isolator allows isolate the antenna galvanically from the receiver; only magnetic signal is coupling from the antenna.

Ground loops in SDR radios induced by the antenna feeder is very common if the computer ground is connected to the radio system.

This type of ground loop issue can be solved by using galvanic isolation between the receiver and the antenna cable. In most receiver installations the antenna coaxial feeder is connected to mains earth at the receiver side.

This can cause mains noise to enter into the receiver because either the feeder mains earth line is the return path for the antenna or noise being coupled to the antenna and radiated.

The Antenna Isolator can achieve up to 40dB noise rejection, depending on installation.

Frequency: 20MHz - 1200MHz

Nominal impedance: 50Ω

Impedance ratio: 1:1

Power rating: 0.25Watts (max)


DC current: 30mA (max)

Insertion Loss: 100MHz - 350MHz
 1.1dB (Typ.)
 1.6dB (Max.)

 20MHz - 1200MHz
 1.2dB (Typ.)
 1.7dB (Max.)

- Connectors: BNC

- Enclosure Size: 55mmx37mmx39mm(2.16x1.45x1.53in)



Frequency: 20MHz - 1200MHz
 Nominal impedance: 50Ω
 Impedance ratio: 1:1
 Power rating: 0.25Watts (max)
 DC current: 30mA (max)

Insertion Loss: 100MHz - 350MHz
 1.1dB (Typ.)
 1.6dB (Max.)

 20MHz - 1200MHz
 1.2dB (Typ.)
 1.7dB (Max.)



Drawing VHF-UHF-SHF Antenna Galvanic Isolator			
Approvals	Size	DWG No	
Issued	A4	REV 1.0	Sheet 1/1
Checked	Scale	FCSM No	
Drawn JJ de Oñate		Date	X I MMX
© HEROS technology Limited 2006. All rights reserved			



NOTES:

Heros technology Limited disclaims all liability arising from this information and its use.

It is your responsibility to ensure that your application meets with your specifications.

Information contained in this publication regarding device applications and the like is provided only for your convenience and may be superseded by updates.

Heros technology Limited makes no representations or warranties of any kind whether express or implied, written or oral, statutory or otherwise, related to the information, including but not limited to its condition, quality, performance, merchantability or fitness for purpose.